



LIST OF REFERENCES

- Abrams, D. S., & Prausnitz, J. M. (1975). Statistical thermodynamics of liquid mixtures: a new expression for the excess Gibbs energy of partly or completely miscible systems. *AIChE Journal*, 21(1), 116-128.
- Arce, A., Arce Jr, A., Rodil, E., & Soto, A. (2005). Isobaric vapor–liquid equilibria for systems composed by 2-ethoxy-2-methylbutane, methanol or ethanol and water at 101.32 kPa. *Fluid phase equilibria*, 233(1), 9-18.
- Arce, A., Martínez-Ageitos, J., Mendoza, J., & Soto, A. (1997). Water+ ethanol+ 2-methoxy-2-methylbutane: Properties of mixing at 298.15 K and isobaric vapour-liquid equilibria at 101.32 kPa. *Fluid Phase Equilibria*, 141(1-2), 207-220.
- Aznar, M., & Telles, A. S. (2001). Prediction of electrolyte vapor-liquid equilibrium by UNIFAC-Dortmund. *Brazilian Journal of Chemical Engineering*, 18, 127-137.
- Bahadur, I., Pal, A., Gmehling, J., Hector, T., Tumba, K., Singh, S., & Ebenso, E. E. (2015). (Vapour+ liquid) equilibria, (VLE) excess molar enthalpies and infinite dilution activity coefficients of selected binary systems involving n-hexyl pyridinium bis (trifluoromethylsulphonyl) imide ionic liquid: Experimental and predictions using modified UNIFAC (Dortmund). *The Journal of Chemical Thermodynamics*, 90, 92-99.
- Basso, R. C., Meirelles, A. D. A., & Batista, E. A. C. (2017). Experimental data, thermodynamic modeling and sensitivity analyses for the purification steps of ethyl biodiesel from fodder radish oil production. *Brazilian Journal of Chemical Engineering*, 34, 341-353.
- Boggs, P. T., & Tolle, J. W. (2000). Sequential quadratic programming for large-scale nonlinear optimization. *Journal of computational and applied mathematics*, 124(1-2), 123-137.
- Bonilla-Petriciolet, A., Rangaiah, G. P., & Segovia-Hernández, J. G. (2010). Evaluation of stochastic global optimization methods for modeling vapor–liquid equilibrium data. *Fluid Phase Equilibria*, 287(2), 111-125.
- Bortz, M., Heese, R., Scherrer, A., Gerlach, T., & Runowski, T. (2019). Estimating mixture properties from batch distillation using semi-rigorous and rigorous models. In *Computer Aided Chemical Engineering* (Vol. 46, pp. 643-648). Elsevier.



- Bungay, V., Baluyut, J., Salvacion, J.L., & Dugos, N., (2011). Effect of 2-amino-2-hydroxymethylpropane-1,3-diol on the modification of molecular interactions on the isobaric vapor-liquid equilibria of ethanol-water system. *Vietnam Journal of Science and Technology*, 49.
- Coelho, R., Dos Santos, P. G., Mafra, M. R., Cardozo-Filho, L., & Corazza, M. L. (2011). (Vapor+ liquid) equilibrium for the binary systems {water+ glycerol} and {ethanol+ glycerol, ethyl stearate, and ethyl palmitate} at low pressures. *The Journal of Chemical Thermodynamics*, 43(12), 1870-1876.
- Constantinescu, D., & Gmehling, J. (2016). Further development of modified UNIFAC (Dortmund): revision and extension 6. *Journal of Chemical & Engineering Data*, 61(8), 2738-2748.
- DDBST (2022). Retrieved from <http://www.ddbst.com/PublishedParametersUNIFACDO.html>.
- Dennis, Jr, J. E., & Torczon, V. (1991). Direct search methods on parallel machines. *SIAM Journal on Optimization*, 1(4), 448-474.
- Faggion, H., Gaschi, P. S., Corazza, M. L., Cardozo-Filho, L., Igarashi-Mafra, L., & Mafra, M. R. (2016). NaCl and KCl effect on (vapour+ liquid) equilibrium of binary, ternary and quaternary systems involving water, ethanol and glycerol at low pressures. *The Journal of Chemical Thermodynamics*, 98, 95-101.
- Fredenslund, A., Jones, R. L., & Prausnitz, J. M. (1975). Group-contribution estimation of activity coefficients in nonideal liquid mixtures. *AIChE Journal*, 21(6), 1086-1099.
- Gill, P. E., & Wong, E. (2012). Sequential quadratic programming methods. In *Mixed integer nonlinear programming* (pp. 147-224). Springer, New York, NY.
- Gmehling, J. (1995). From UNIFAC to modified UNIFAC to PSRK with the help of DDB. *Fluid Phase Equilibria*, 107(1), 1-29.
- Gmehling, J., Constantinescu, D., & Schmid, B. (2015). Group contribution methods for phase equilibrium calculations. *Annual review of chemical and biomolecular engineering*, 6, 267-292.
- Gmehling, J., Li, J., & Schiller, M. (1993). A modified UNIFAC model. 2. Present parameter matrix and results for different thermodynamic properties. *Industrial & Engineering Chemistry Research*, 32(1), 178-193.
- Gmehling, J., Onken, U., & Arlt, W. (2006). Vapor-liquid equilibrium data collection, chemistry data series, vol. 1. *DECHEMA*, Frankfurt.



- Gmehling, J., Wittig, R., Lohmann, J., & Joh, R. (2002). A modified UNIFAC (Dortmund) model. 4. Revision and extension. *Industrial & engineering chemistry research*, 41(6), 1678-1688.
- Hartanto, D., Mustain, A., & Nugroho, F. D. (2017). Prediction of vapor-liquid equilibria for the alcohol+ glycerol systems using UNIFAC and modified UNIFAC (Dortmund). In *AIP Conference Proceedings* (Vol. 1818, No. 1, p. 020017). AIP Publishing LLC.
- Hector, T., & Gmehling, J. (2014). Present status of the modified UNIFAC model for the prediction of phase equilibria and excess enthalpies for systems with ionic liquids. *Fluid Phase Equilibria*, 371, 82-92.
- Hector, T., Uhlig, L., & Gmehling, J. (2013). Prediction of different thermodynamic properties for systems of alcohols and sulfate-based anion Ionic Liquids using modified UNIFAC. *Fluid Phase Equilibria*, 338, 135-140.
- Jain, M., Attarde, D., & Gupta, S. K. (2017). Estimation of unknown UNIFAC interaction parameters between thiophene and olefin, and thiol and olefin functional groups. *Fluid Phase Equilibria*, 442, 81-86.
- Kaewsichan, L. (1999). A Vapor-liquid Equilibrium Model for the CO₂-H₂S-monoethanolamine-methyldiethanolamine-water System Using the Electrolyte-UNIQUAC Equation (Doctoral dissertation, Colorado School of Mines).
- Kato, R., & Gmehling, J. (2005). Systems with ionic liquids: Measurement of VLE and γ^∞ data and prediction of their thermodynamic behavior using original UNIFAC, mod. UNIFAC (Do) and COSMO-RS (Ol). *The Journal of Chemical Thermodynamics*, 37(6), 603-619.
- Kim, H. (2005). Evaluation of UNIFAC group interaction parameters using properties based on quantum mechanical calculations (Master's Thesis, New Jersey Institute of Technology).
- Kuramochi, H., Maeda, K., Kato, S., Osako, M., Nakamura, K., & Sakai, S. I. (2009). Application of UNIFAC models for prediction of vapor-liquid and liquid-liquid equilibria relevant to separation and purification processes of crude biodiesel fuel. *Fuel*, 88(8), 1472-1477.
- Lagarias, J. C., Reeds, J. A., Wright, M. H., & Wright, P. E. (1998). Convergence properties of the Nelder-Mead simplex method in low dimensions. *SIAM Journal on optimization*, 9(1), 112-147.



- Larsen, B. L., Rasmussen, P., & Fredenslund, A. (1987). A modified UNIFAC group-contribution model for prediction of phase equilibria and heats of mixing. *Industrial & engineering chemistry research*, 26(11), 2274-2286.
- Lewis, G. N. (1901). The law of physico-chemical change. In *Proceedings of the American Academy of Arts and Sciences* (Vol. 37, No. 3, pp. 49-69). American Academy of Arts & Sciences.
- Lohmann, J., Joh, R., & Gmehling, J. (2001). From UNIFAC to modified UNIFAC (Dortmund). *Industrial & engineering chemistry research*, 40(3), 957-964.
- Magnussen, T., Rasmussen, P., & Fredenslund, A. (1981). UNIFAC parameter table for prediction of liquid-liquid equilibriums. *Industrial & Engineering Chemistry Process Design and Development*, 20(2), 331-339.
- Marquardt, D. W. (1963). An algorithm for least-squares estimation of nonlinear parameters. *Journal of the society for Industrial and Applied Mathematics*, 11(2), 431-441.
- Matugi, K., & Giordano, R. (2015). Comparative work about UNIFAC based models for hydroalcoholic systems with electrolytes. *Blucher Chemical Engineering Proceedings*, 1(2), 15388-15396.
- McKinnon, K. I. (1998). Convergence of the Nelder--Mead Simplex method to a nonstationary Point. *SIAM Journal on optimization*, 9(1), 148-158.
- Montastruc, L., Azzaro-Pantel, C., Biscans, B., Davin, A., Pibouleau, L., & Domenech, S. (2002). A global optimization technique for solid-liquid equilibrium calculations: application to calcium phosphate precipitation. In *Computer Aided Chemical Engineering* (Vol. 10, pp. 127-132). Elsevier.
- Muhammad, F., Oliveira, M. B., Pignat, P., Jaubert, J. N., Pinho, S. P., & Coniglio, L. (2017). Phase equilibrium data and modeling of ethylic biodiesel, with application to a non-edible vegetable oil. *Fuel*, 203, 633-641.
- Muzenda, E. (2013). From UNIQUAC to modified UNIFAC Dortmund: a discussion. In *3rd International Conference on Medical Sciences and Chemical Engineering*.
- Nebig, S., & Gmehling, J. (2010). Measurements of different thermodynamic properties of systems containing ionic liquids and correlation of these properties using modified UNIFAC (Dortmund). *Fluid phase equilibria*, 294(1-2), 206-212.



- Nebig, S., & Gmehling, J. (2011). Prediction of phase equilibria and excess properties for systems with ionic liquids using modified UNIFAC: Typical results and present status of the modified UNIFAC matrix for ionic liquids. *Fluid phase equilibria*, 302(1-2), 220-225.
- Nebig, S., Bölts, R., & Gmehling, J. (2007). Measurement of vapor-liquid equilibria (VLE) and excess enthalpies (H^E) of binary systems with 1-alkyl-3-methylimidazolium bis(trifluoromethylsulfonyl) imide and prediction of these properties and γ^∞ using modified UNIFAC (Dortmund). *Fluid phase equilibria*, 258(2), 168-178.
- Nebig, S., Liebert, V., & Gmehling, J. (2009). Measurement and prediction of activity coefficients at infinite dilution (γ^∞), vapor-liquid equilibria (VLE) and excess enthalpies (H^E) of binary systems with 1, 1-dialkyl-pyrrolidinium bis(trifluoromethylsulfonyl) imide using mod. UNIFAC (Dortmund). *Fluid phase equilibria*, 277(1), 61-67.
- Nelder, J. A., & Mead, R. (1965). A simplex method for function minimization. *The computer journal*, 7(4), 308-313.
- Nölker, D. I. K., & Roth, I. M. (1998). Modified UNIFAC parameters for mixtures with isocyanates. *Chemical engineering science*, 53(13), 2395-2401.
- Paduszyński, K., & Domańska, U. (2013). Extension of modified UNIFAC (Dortmund) matrix to piperidinium ionic liquids. *Fluid Phase Equilibria*, 353, 115-120.
- Pla-Franco, J., Lladosa, E., Loras, S., & Monton, J. B. (2013). Phase equilibria for the ternary systems ethanol, water+ ethylene glycol or+ glycerol at 101.3 kPa. *Fluid Phase Equilibria*, 341, 54-60.
- Powell, M. J. (1978). A fast algorithm for nonlinearly constrained optimization calculations. In *Numerical analysis* (pp. 144-157). Springer, Berlin, Heidelberg.
- Powell, M. J. (1978). The convergence of variable metric methods for nonlinearly constrained optimization calculations. In *Nonlinear programming 3* (pp. 27-63). Academic Press.
- Renon, H., & Prausnitz, J. M. (1968). Local compositions in thermodynamic excess functions for liquid mixtures. *AIChE journal*, 14(1), 135-144.
- Santos, G. R., d'Ávila, S. G., & Aznar, M. (2000). Salt effect of KBr on the liquid-liquid equilibrium of the water/ethanol/1-pentanol system. *Brazilian journal of chemical engineering*, 17, 721-734.



- Schittkowski, K. (1986). NLPQL: A FORTRAN subroutine solving constrained nonlinear programming problems. *Annals of operations research*, 5(2), 485-500.
- Se, R. A. G., & Aznar, M. (2001). Prediction of phase equilibrium of aqueous two-phase systems water+ poly (ethylene glycol)+ Salt. *Latin American Applied Research*, 31, 427-432.
- Tan, T. C., Chai, C. M., Tok, A. T., & Ho, K. W. (2004). Prediction and experimental verification of the salt effect on the vapour-liquid equilibrium of water-ethanol-2-propanol mixture. *Fluid phase equilibria*, 218(1), 113-121.
- Tan, T. C., & Gan, S. H. (2005). Vapour-liquid equilibrium of water/ethanol/1-butanol/salt: prediction and experimental verification. *Chemical Engineering Research and Design*, 83(12), 1361-1371.
- Tan, T. C., Tan, R., Soon, L. H., & Ong, S. H. P. (2005). Prediction and experimental verification of the effect of salt on the vapour-liquid equilibrium of ethanol/1-propanol/water mixture. *Fluid phase equilibria*, 234(1-2), 84-93.
- Transtrum, M. K., & Sethna, J. P. (2012). Improvements to the Levenberg-Marquardt algorithm for nonlinear least-squares minimization. arXiv preprint arXiv:1201.5885.
- Yousefi, L., Roayaei, E., Taghikhani, V., Safekordi, A., & Zahedzadeh, M. (2011). Experimental study and modelling of saturation molality of NaCl in quaternary aqueous electrolyte solutions at various temperatures. *Desalination*, 267(2-3), 228-232.
- Yousefi, L., Taghikhani, V., Roayaei, E., Safekordi, A., & Zahedzadeh, M. (2010). Measurement and correlation of the saturation concentrations for single and mixed aqueous electrolyte solutions at various temperatures. *Desalination*, 258(1-3), 187-193.
- Weidlich, U., & Gmehling, J. (1987). A modified UNIFAC model. 1. Prediction of VLE, h^E , and γ^∞ . *Industrial & engineering chemistry research*, 26(7), 1372-1381.
- Wilson, G. M. (1964). A new expression for the excess free energy of mixing. *J. Am. Chem. Soc.*, 86(1), 127.